

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		2.3%	.4%
	2-4	Count	1		1
		% within Sex	.4%		.4%
	13-19	Count	3	4	7
		% within Sex	1.3%	9.1%	2.5%
	20-24	Count	34	12	46
		% within Sex	14.6%	27.3%	16.6%
	25-29	Count	36	9	45
		% within Sex	15.5%	20.5%	16.2%
	30-39	Count	106	11	117
		% within Sex	45.5%	25.0%	42.2%
	40-49	Count	39	2	41
		% within Sex	16.7%	4.5%	14.8%
	50-59	Count	13	4	17
		% within Sex	5.6%	9.1%	6.1%
	60-69	Count	1	1	2
		% within Sex	.4%	2.3%	.7%
Total		Count	233	44	277
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	136	13	149
		% within Sex	58.4%	29.5%	53.8%
	African American	Count	37	17	54
		% within Sex	15.9%	38.6%	19.5%
	Hispanic	Count	46	14	60
		% within Sex	19.7%	31.8%	21.7%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.4%		.4%
	Not Specified	Count	13		13
		% within Sex	5.6%		4.7%
Total		Count	233	44	277
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	135		135
		% within Sex	57.9%		48.7%
	IDU	Count	16	6	22
		% within Sex	6.9%	13.6%	7.9%
	M-M & IDU	Count	13		13
		% within Sex	5.6%		4.7%
	Heterosexual Contact	Count	6	16	22
		% within Sex	2.6%	36.4%	7.9%
	Transfusion	Count	1	4	5
		% within Sex	.4%	9.1%	1.8%
	Not Classified	Count	61	17	78
		% within Sex	26.2%	38.6%	28.2%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.4%	2.3%	.7%
Total		Count	233	44	277
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	148	149
		% within Adult-Ped	50.0%	53.8%	53.8%
	African American	Count	1	53	54
		% within Adult-Ped	50.0%	19.3%	19.5%
	Hispanic	Count		60	60
		% within Adult-Ped		21.8%	21.7%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.4%	.4%
	Not Specified	Count		13	13
		% within Adult-Ped		4.7%	4.7%
Total	Count	2	275	277	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = Austin

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	232	233
		% within Adult-Ped	50.0%	84.4%	84.1%
	Female	Count	1	43	44
		% within Adult-Ped	50.0%	15.6%	15.9%
Total		Count	2	275	277
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	1		1
		% within Sex	.6%		.5%
	13-19	Count	4	4	8
		% within Sex	2.3%	8.2%	3.6%
	20-24	Count	9	12	21
		% within Sex	5.2%	24.5%	9.5%
	25-29	Count	32	9	41
		% within Sex	18.5%	18.4%	18.5%
	30-39	Count	77	16	93
		% within Sex	44.5%	32.7%	41.9%
	40-49	Count	37	8	45
		% within Sex	21.4%	16.3%	20.3%
	50-59	Count	11		11
		% within Sex	6.4%		5.0%
	60-69	Count	2		2
		% within Sex	1.2%		.9%
Total		Count	173	49	222
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	92	19	111
		% within Sex	53.2%	38.8%	50.0%
	African American	Count	40	20	60
		% within Sex	23.1%	40.8%	27.0%
	Hispanic	Count	38	10	48
		% within Sex	22.0%	20.4%	21.6%
	Asian-Pacific Islander	Count	2		2
		% within Sex	1.2%		.9%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.6%		.5%
Total	Count	173	49	222	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	86		86
		% within Sex	49.7%		38.7%
	IDU	Count	16	8	24
		% within Sex	9.2%	16.3%	10.8%
	M-M & IDU	Count	8		8
		% within Sex	4.6%		3.6%
	Hemophiliac	Count	1		1
		% within Sex	.6%		.5%
	Heterosexual Contact	Count	8	16	24
		% within Sex	4.6%	32.7%	10.8%
	Not Classified	Count	53	25	78
		% within Sex	30.6%	51.0%	35.1%
	Ped Other-Undet	Count	1		1
		% within Sex	.6%		.5%
Total		Count	173	49	222
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	110	111
		% within Adult-Ped	100.0%	49.8%	50.0%
	African American	Count		60	60
		% within Adult-Ped		27.1%	27.0%
	Hispanic	Count		48	48
		% within Adult-Ped		21.7%	21.6%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		.9%	.9%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.5%	.5%
Total		Count	1	221	222
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	172	173
		% within Adult-Ped	100.0%	77.8%	77.9%
	Female	Count		49	49
		% within Adult-Ped		22.2%	22.1%
Total		Count	1	221	222
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	3	7
		% within Sex	.8%	2.3%	1.1%
	1 (12-23 mo)	Count		4	4
		% within Sex		3.1%	.7%
	2-4	Count	4		4
		% within Sex	.8%		.7%
	5-12	Count	2		2
		% within Sex	.4%		.3%
	13-19	Count	7	9	16
		% within Sex	1.4%	6.9%	2.6%
	20-24	Count	47	28	75
		% within Sex	9.7%	21.5%	12.2%
	25-29	Count	88	24	112
		% within Sex	18.1%	18.5%	18.2%
	30-39	Count	213	41	254
		% within Sex	43.9%	31.5%	41.3%
	40-49	Count	92	15	107
		% within Sex	19.0%	11.5%	17.4%
	50-59	Count	25	5	30
		% within Sex	5.2%	3.8%	4.9%
	60-69	Count	3	1	4
		% within Sex	.6%	.8%	.7%
Total		Count	485	130	615
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	271	45	316
		% within Sex	55.9%	34.6%	51.4%
	African American	Count	98	55	153
		% within Sex	20.2%	42.3%	24.9%
	Hispanic	Count	97	30	127
		% within Sex	20.0%	23.1%	20.7%
	Asian-Pacific Islander	Count	2		2
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	2		2
		% within Sex	.4%		.3%
	Not Specified	Count	15		15
		% within Sex	3.1%		2.4%
	Total		485	130	615
			100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	259		259
		% within Sex	53.4%		42.1%
	IDU	Count	36	23	59
		% within Sex	7.4%	17.7%	9.6%
	M-M & IDU	Count	28		28
		% within Sex	5.8%		4.6%
	Hemophiliac	Count	1		1
		% within Sex	.2%		.2%
	Heterosexual Contact	Count	16	41	57
		% within Sex	3.3%	31.5%	9.3%
	Transfusion	Count	1	4	5
		% within Sex	.2%	3.1%	.8%
	Not Classified	Count	134	55	189
		% within Sex	27.6%	42.3%	30.7%
	Ped Parent at Risk	Count	8	7	15
		% within Sex	1.6%	5.4%	2.4%
	Ped Other-Undet	Count	2		2
		% within Sex	.4%		.3%
	Total		485	130	615
			100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	6	310	316
		% within Adult-Ped	35.3%	51.8%	51.4%
	African American	Count	8	145	153
		% within Adult-Ped	47.1%	24.2%	24.9%
	Hispanic	Count	3	124	127
		% within Adult-Ped	17.6%	20.7%	20.7%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		2	2
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		15	15
		% within Adult-Ped		2.5%	2.4%
	Total	Count	17	598	615
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	10	475	485
		% within Adult-Ped	58.8%	79.4%	78.9%
	Female	Count	7	123	130
		% within Adult-Ped	41.2%	20.6%	21.1%
Total		Count	17	598	615
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	3	7
		% within Sex	.8%	2.3%	1.1%
	1 (12-23 mo)	Count		4	4
		% within Sex		3.1%	.7%
	2-4	Count	4		4
		% within Sex	.8%		.7%
	5-12	Count	2		2
		% within Sex	.4%		.3%
	13-19	Count	7	9	16
		% within Sex	1.5%	6.9%	2.6%
	20-24	Count	47	28	75
		% within Sex	9.8%	21.5%	12.3%
	25-29	Count	88	24	112
		% within Sex	18.3%	18.5%	18.3%
	30-39	Count	212	41	253
		% within Sex	44.1%	31.5%	41.4%
	40-49	Count	90	15	105
		% within Sex	18.7%	11.5%	17.2%
	50-59	Count	24	5	29
		% within Sex	5.0%	3.8%	4.7%
	60-69	Count	3	1	4
		% within Sex	.6%	.8%	.7%
Total		Count	481	130	611
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count		1	1
		% within Sex		.8%	.2%
	2-4	Count	1	1	2
		% within Sex	.2%	.8%	.3%
	5-12	Count	7	5	12
		% within Sex	1.5%	3.8%	2.0%
	13-19	Count	3	3	6
		% within Sex	.6%	2.3%	1.0%
	20-24	Count	32	22	54
		% within Sex	6.7%	16.9%	8.8%
	25-29	Count	58	21	79
		% within Sex	12.1%	16.2%	12.9%
	30-39	Count	219	45	264
		% within Sex	45.5%	34.6%	43.2%
40-49	Count	119	26	145	
	% within Sex	24.7%	20.0%	23.7%	
50-59	Count	37	5	42	
	% within Sex	7.7%	3.8%	6.9%	
60-69	Count	5	1	6	
	% within Sex	1.0%	.8%	1.0%	
Total		Count	481	130	611
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	269	45	314
		% within Sex	55.9%	34.6%	51.4%
	African American	Count	97	55	152
		% within Sex	20.2%	42.3%	24.9%
	Hispanic	Count	96	30	126
		% within Sex	20.0%	23.1%	20.6%
	Asian-Pacific Islander	Count	2		2
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	2		2
		% within Sex	.4%		.3%
	Not Specified	Count	15		15
		% within Sex	3.1%		2.5%
Total	Count	481	130	611	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	257		257
		% within Sex	53.4%		42.1%
	IDU	Count	36	23	59
		% within Sex	7.5%	17.7%	9.7%
	M-M & IDU	Count	28		28
		% within Sex	5.8%		4.6%
	Hemophiliac	Count	1		1
		% within Sex	.2%		.2%
	Heterosexual Contact	Count	16	41	57
		% within Sex	3.3%	31.5%	9.3%
	Transfusion	Count	1	4	5
		% within Sex	.2%	3.1%	.8%
Total	Not Classified	Count	132	55	187
		% within Sex	27.4%	42.3%	30.6%
	Ped Parent at Risk	Count	8	7	15
		% within Sex	1.7%	5.4%	2.5%
	Ped Other-Undet	Count	2		2
		% within Sex	.4%		.3%
	Total		Count	481	130
			% within Sex	100.0%	100.0%
					611
					100.0%

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	6	308	314
		% within Adult-Ped	35.3%	51.9%	51.4%
	African American	Count	8	144	152
		% within Adult-Ped	47.1%	24.2%	24.9%
	Hispanic	Count	3	123	126
		% within Adult-Ped	17.6%	20.7%	20.6%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		2	2
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		15	15
		% within Adult-Ped		2.5%	2.5%
Total	Count	17	594	611	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = Austin

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	10	471	481
		% within Adult-Ped	58.8%	79.3%	78.7%
	Female	Count	7	123	130
		% within Adult-Ped	41.2%	20.7%	21.3%
Total		Count	17	594	611
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2		2
		% within Sex	1.1%		.9%
	13-19	Count	1	1	2
		% within Sex	.5%	2.3%	.9%
	20-24	Count	5	4	9
		% within Sex	2.7%	9.3%	3.9%
	25-29	Count	15	2	17
		% within Sex	8.0%	4.7%	7.4%
	30-39	Count	77	19	96
		% within Sex	41.2%	44.2%	41.7%
	40-49	Count	64	11	75
		% within Sex	34.2%	25.6%	32.6%
	50-59	Count	16	5	21
		% within Sex	8.6%	11.6%	9.1%
	60-69	Count	6	1	7
		% within Sex	3.2%	2.3%	3.0%
	70+	Count	1		1
		% within Sex	.5%		.4%
Total		Count	187	43	230
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	94	14	108
		% within Sex	50.3%	32.6%	47.0%
	African American	Count	41	23	64
		% within Sex	21.9%	53.5%	27.8%
	Hispanic	Count	49	5	54
		% within Sex	26.2%	11.6%	23.5%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	1.1%	2.3%	1.3%
	Not Specified	Count	1		1
		% within Sex	.5%		.4%
	Total	Count	187	43	230
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	101		101
		% within Sex	54.0%		43.9%
	IDU	Count	20	13	33
		% within Sex	10.7%	30.2%	14.3%
	M-M & IDU	Count	12		12
		% within Sex	6.4%		5.2%
	Hemophiliac	Count	1		1
		% within Sex	.5%		.4%
	Heterosexual Contact	Count	2	11	13
		% within Sex	1.1%	25.6%	5.7%
	Transfusion	Count		1	1
		% within Sex		2.3%	.4%
	Not Classified	Count	49	18	67
		% within Sex	26.2%	41.9%	29.1%
	Ped Parent at Risk	Count	2		2
		% within Sex	1.1%		.9%
Total		Count	187	43	230
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	107	108
		% within Adult-Ped	50.0%	46.9%	47.0%
	African American	Count	1	63	64
		% within Adult-Ped	50.0%	27.6%	27.8%
	Hispanic	Count		54	54
		% within Adult-Ped		23.7%	23.5%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		1.3%	1.3%
	Not Specified	Count		1	1
		% within Adult-Ped		.4%	.4%
Total		Count	2	228	230
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	185	187
		% within Adult-Ped	100.0%	81.1%	81.3%
	Female	Count		43	43
		% within Adult-Ped		18.9%	18.7%
Total		Count	2	228	230
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2000
(from the 01/22/02 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	1		1
		% within Sex	.7%		.6%
	20-24	Count	6	4	10
		% within Sex	4.2%	11.4%	5.6%
	25-29	Count	14	9	23
		% within Sex	9.7%	25.7%	12.8%
	30-39	Count	66	14	80
		% within Sex	45.8%	40.0%	44.7%
	40-49	Count	42	5	47
		% within Sex	29.2%	14.3%	26.3%
	50-59	Count	11	2	13
		% within Sex	7.6%	5.7%	7.3%
	60-69	Count	3	1	4
		% within Sex	2.1%	2.9%	2.2%
	70+	Count	1		1
		% within Sex	.7%		.6%
Total		Count	144	35	179
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	84	11	95
		% within Sex	58.3%	31.4%	53.1%
	African American	Count	21	16	37
		% within Sex	14.6%	45.7%	20.7%
	Hispanic	Count	37	7	44
		% within Sex	25.7%	20.0%	24.6%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	1.4%	2.9%	1.7%
	Total	Count	144	35	179
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2000
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	80		80
		% within Sex	55.6%		44.7%
	IDU	Count	21	16	37
		% within Sex	14.6%	45.7%	20.7%
	M-M & IDU	Count	13		13
		% within Sex	9.0%		7.3%
	Heterosexual Contact	Count	4	16	20
		% within Sex	2.8%	45.7%	11.2%
	Transfusion	Count	1		1
		% within Sex	.7%		.6%
	Not Classified	Count	25	3	28
		% within Sex	17.4%	8.6%	15.6%
Total	Count	144	35	179	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	95	95
		% within Adult-Ped	53.1%	53.1%
	African American	Count	37	37
		% within Adult-Ped	20.7%	20.7%
	Hispanic	Count	44	44
		% within Adult-Ped	24.6%	24.6%
	Asian-Pacific Islander	Count	3	3
		% within Adult-Ped	1.7%	1.7%
	Total		Count	179
			% within Adult-Ped	100.0%

a. EMA = Austin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	144	144
		% within Adult-Ped	80.4%	80.4%
	Female	Count	35	35
		% within Adult-Ped	19.6%	19.6%
Total		Count	179	179
		% within Adult-Ped	100.0%	100.0%

a. EMA = Austin

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	9	7	16
		% within Sex	.2%	1.4%	.4%
	1 (12-23 mo)	Count	1	2	3
		% within Sex	.0%	.4%	.1%
	2-4	Count	3	1	4
		% within Sex	.1%	.2%	.1%
	5-12	Count		4	4
		% within Sex		.8%	.1%
	13-19	Count	7	11	18
		% within Sex	.2%	2.2%	.4%
	20-24	Count	159	42	201
		% within Sex	4.4%	8.4%	4.9%
	25-29	Count	616	87	703
		% within Sex	17.0%	17.4%	17.1%
	30-39	Count	1790	212	2002
		% within Sex	49.4%	42.3%	48.6%
	40-49	Count	817	95	912
		% within Sex	22.6%	19.0%	22.1%
	50-59	Count	171	29	200
		% within Sex	4.7%	5.8%	4.9%
	60-69	Count	37	7	44
		% within Sex	1.0%	1.4%	1.1%
	70+	Count	10	4	14
		% within Sex	.3%	.8%	.3%
Total		Count	3620	501	4121
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	2112	153	2265
		% within Sex	58.3%	30.5%	55.0%
	African American	Count	814	272	1086
		% within Sex	22.5%	54.3%	26.4%
	Hispanic	Count	677	73	750
		% within Sex	18.7%	14.6%	18.2%
	Asian-Pacific Islander	Count	8	3	11
		% within Sex	.2%	.6%	.3%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.2%		.2%
	Not Specified	Count	2		2
		% within Sex	.1%		.0%
	Total		3620	501	4121
			100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2292		2292
		% within Sex	63.3%		55.6%
	IDU	Count	526	216	742
		% within Sex	14.5%	43.1%	18.0%
	M-M & IDU	Count	352		352
		% within Sex	9.7%		8.5%
	Hemophiliac	Count	9		9
		% within Sex	.2%		.2%
	Heterosexual Contact	Count	92	179	271
		% within Sex	2.5%	35.7%	6.6%
	Transfusion	Count	18	15	33
		% within Sex	.5%	3.0%	.8%
	Not Classified	Count	317	76	393
		% within Sex	8.8%	15.2%	9.5%
	Ped Hemophiliac	Count	1		1
		% within Sex	.0%		.0%
	Ped Parent at Risk	Count	13	14	27
		% within Sex	.4%	2.8%	.7%
	Ped Other-Undet	Count		1	1
		% within Sex		.2%	.0%
Total	Count	3620	501	4121	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	2257	2265
		% within Adult-Ped	29.6%	55.1%	55.0%
	African American	Count	14	1072	1086
		% within Adult-Ped	51.9%	26.2%	26.4%
	Hispanic	Count	5	745	750
		% within Adult-Ped	18.5%	18.2%	18.2%
	Asian-Pacific Islander	Count		11	11
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		7	7
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		2	2
		% within Adult-Ped		.0%	.0%
	Total	Count	27	4094	4121
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	13	3607	3620
		% within Adult-Ped	48.1%	88.1%	87.8%
	Female	Count	14	487	501
		% within Adult-Ped	51.9%	11.9%	12.2%
Total		Count	27	4094	4121
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	1	4
		% within Sex	.2%	.4%	.2%
	2-4	Count	2		2
		% within Sex	.1%		.1%
	5-12	Count		3	3
		% within Sex		1.1%	.2%
	13-19	Count	4	5	9
		% within Sex	.3%	1.8%	.5%
	20-24	Count	76	31	107
		% within Sex	4.9%	11.0%	5.8%
	25-29	Count	255	47	302
		% within Sex	16.5%	16.6%	16.5%
	30-39	Count	763	123	886
		% within Sex	49.2%	43.5%	48.3%
	40-49	Count	360	56	416
		% within Sex	23.2%	19.8%	22.7%
	50-59	Count	70	14	84
		% within Sex	4.5%	4.9%	4.6%
	60-69	Count	14	2	16
		% within Sex	.9%	.7%	.9%
70+	Count	3	1	4	
	% within Sex	.2%	.4%	.2%	
Total	Count	1550	283	1833	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	5-12	Count	4	2	6
		% within Sex	.3%	.7%	.3%
	13-19	Count		2	2
		% within Sex		.7%	.1%
	20-24	Count	12	11	23
		% within Sex	.8%	3.9%	1.3%
	25-29	Count	59	23	82
		% within Sex	3.8%	8.1%	4.5%
	30-39	Count	603	107	710
		% within Sex	38.9%	37.8%	38.7%
	40-49	Count	649	105	754
		% within Sex	41.9%	37.1%	41.1%
	50-59	Count	171	24	195
		% within Sex	11.0%	8.5%	10.6%
	60-69	Count	45	6	51
		% within Sex	2.9%	2.1%	2.8%
	70+	Count	5	2	7
		% within Sex	.3%	.7%	.4%
	Unknown	Count	1		1
		% within Sex	.1%		.1%
Total		Count	1550	283	1833
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	852	88	940
		% within Sex	55.0%	31.1%	51.3%
	African American	Count	346	153	499
		% within Sex	22.3%	54.1%	27.2%
	Hispanic	Count	339	40	379
		% within Sex	21.9%	14.1%	20.7%
	Asian-Pacific Islander	Count	5	2	7
		% within Sex	.3%	.7%	.4%
	Am Indian-Alaskan	Count	6		6
		% within Sex	.4%		.3%
	Not Specified	Count	2		2
		% within Sex	.1%		.1%
Total	Count	1550	283	1833	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	889		889
		% within Sex	57.4%		48.5%
	IDU	Count	218	110	328
		% within Sex	14.1%	38.9%	17.9%
	M-M & IDU	Count	166		166
		% within Sex	10.7%		9.1%
	Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	53	105	158
		% within Sex	3.4%	37.1%	8.6%
	Transfusion	Count	5	1	6
		% within Sex	.3%	.4%	.3%
Total	Not Classified	Count	212	63	275
		% within Sex	13.7%	22.3%	15.0%
	Ped Parent at Risk	Count	5	3	8
		% within Sex	.3%	1.1%	.4%
	Ped Other-Undet	Count		1	1
		% within Sex		.4%	.1%
	Count		1550	283	1833
	% within Sex		100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	938	940
		% within Adult-Ped	22.2%	51.4%	51.3%
	African American	Count	5	494	499
		% within Adult-Ped	55.6%	27.1%	27.2%
	Hispanic	Count	2	377	379
		% within Adult-Ped	22.2%	20.7%	20.7%
	Asian-Pacific Islander	Count		7	7
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		6	6
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		2	2
		% within Adult-Ped		.1%	.1%
Total	Count	9	1824	1833	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = Austin

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	5	1545	1550
		% within Adult-Ped	55.6%	84.7%	84.6%
	Female	Count	4	279	283
		% within Adult-Ped	44.4%	15.3%	15.4%
Total		Count	9	1824	1833
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	7	4	11
		% within Sex	.3%	1.0%	.5%
	1 (12-23 mo)	Count		4	4
		% within Sex		1.0%	.2%
	2-4	Count	6		6
		% within Sex	.3%		.2%
	5-12	Count	2	3	5
		% within Sex	.1%	.7%	.2%
	13-19	Count	11	14	25
		% within Sex	.5%	3.4%	1.0%
	20-24	Count	123	59	182
		% within Sex	6.1%	14.3%	7.4%
	25-29	Count	343	71	414
		% within Sex	16.9%	17.2%	16.9%
	30-39	Count	975	164	1139
		% within Sex	48.0%	39.7%	46.6%
	40-49	Count	450	71	521
		% within Sex	22.2%	17.2%	21.3%
	50-59	Count	94	19	113
		% within Sex	4.6%	4.6%	4.6%
	60-69	Count	17	3	20
		% within Sex	.8%	.7%	.8%
	70+	Count	3	1	4
		% within Sex	.1%	.2%	.2%
Total		Count	2031	413	2444
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count		1	1
		% within Sex		.2%	.0%
	2-4	Count	2	2	4
		% within Sex	.1%	.5%	.2%
	5-12	Count	11	7	18
		% within Sex	.5%	1.7%	.7%
	13-19	Count	3	5	8
		% within Sex	.1%	1.2%	.3%
	20-24	Count	44	33	77
		% within Sex	2.2%	8.0%	3.2%
	25-29	Count	117	44	161
		% within Sex	5.8%	10.7%	6.6%
	30-39	Count	822	152	974
		% within Sex	40.5%	36.8%	39.9%
	40-49	Count	768	131	899
		% within Sex	37.8%	31.7%	36.8%
	50-59	Count	208	29	237
		% within Sex	10.2%	7.0%	9.7%
	60-69	Count	50	7	57
		% within Sex	2.5%	1.7%	2.3%
70+	Count	5	2	7	
	% within Sex	.2%	.5%	.3%	
Unknown	Count	1		1	
	% within Sex	.0%		.0%	
Total		Count	2031	413	2444
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1121	133	1254
		% within Sex	55.2%	32.2%	51.3%
	African American	Count	443	208	651
		% within Sex	21.8%	50.4%	26.6%
	Hispanic	Count	435	70	505
		% within Sex	21.4%	16.9%	20.7%
	Asian-Pacific Islander	Count	7	2	9
		% within Sex	.3%	.5%	.4%
	Am Indian-Alaskan	Count	8		8
		% within Sex	.4%		.3%
	Not Specified	Count	17		17
		% within Sex	.8%		.7%
	Total		2031	413	2444
			100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1146		1146
		% within Sex	56.4%		46.9%
	IDU	Count	254	133	387
		% within Sex	12.5%	32.2%	15.8%
	M-M & IDU	Count	194		194
		% within Sex	9.6%		7.9%
	Hemophiliac	Count	3		3
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	69	146	215
		% within Sex	3.4%	35.4%	8.8%
	Transfusion	Count	6	5	11
		% within Sex	.3%	1.2%	.5%
	Not Classified	Count	344	118	462
		% within Sex	16.9%	28.6%	18.9%
	Ped Parent at Risk	Count	13	10	23
		% within Sex	.6%	2.4%	.9%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.1%	.2%	.1%
	Total		2031	413	2444
			100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	1246	1254
		% within Adult-Ped	30.8%	51.5%	51.3%
	African American	Count	13	638	651
		% within Adult-Ped	50.0%	26.4%	26.6%
	Hispanic	Count	5	500	505
		% within Adult-Ped	19.2%	20.7%	20.7%
	Asian-Pacific Islander	Count		9	9
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		8	8
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		17	17
		% within Adult-Ped		.7%	.7%
	Total	Count	26	2418	2444
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	15	2016	2031
		% within Adult-Ped	57.7%	83.4%	83.1%
	Female	Count	11	402	413
		% within Adult-Ped	42.3%	16.6%	16.9%
Total		Count	26	2418	2444
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin